



LINK DISPLAY SYSTEM

---

# Harrows

CRAFTED FOR CONNECTION

HARROWS.CO.NZ

Crafted for  
connection.





# Introducing Array

Rethink how you manage the delineation of space with the endless possibilities of Link.

Do you need a spatial divider to manage zones in your project, or are you wanting to create an agile working space without permanent walls? Or is it a beautiful bookcase or display system to bring life and atmosphere to the space?


Link provides a solution to all these situations and with options of shelves, cabinets, planters, acoustic panels, and whiteboards along with customised finishes it lets you create just as you want.





A beautiful and  
multifunctional system  
for spatial management.





Four standard lengths.

Standard lengths range from 1688 to 4088 long with ability to extend longer as required.

# Endlessly configurable

The Link Display System has been developed with three standard post heights, and four standard lengths. The intention is for you to select your desired height and length, and then arrange with cabinets, shelving, or planters.

At any stage, shelving and planters can be swapped and rearranged, even flipping the shelves to face the opposite side, meaning the shelving system can adapt and evolve to a changing interior well after installation.

This free standing design is easily installed with minimal onsite disruption and secured to the floor with subtle height adjustable fixings at the foot of each post.



Three standard post heights.

Standard heights are 1500, 1900 and 2300.

# Select your accessories

## Optional Cabinet Base

The bottom two rows can be exchanged for cabinets to add storage. These cabinets can be configured to face one side or the other or even a combination of both to again allow use from both sides.



## Tray Shelving

Create functional and beautiful layered shelving with the solid timber shelves. The shelves are designed as a tray with front and side up-stands, and can be positioned to face either side, allowing the display system to be accessed universally.

These tray shelves are available in modular lengths, either running the length of the unit, or breaking up the configuration easily.





Acoustic Panel

Closed Back cable management alcove



# Whiteboard + Acoustic

## Link Features

-01

### Whiteboards

Optional whiteboards are also available for the panel mounting pins. They offer the same visual benefits of the panels with the added benefit of an easily configurable whiteboard to transform meeting or brainstorming spaces as required.

-02

### Whiteboard hanging detail

-03

### Acoustic Panels


Optional panel mounting pins can be added to posts, allowing movable acoustic panels to be mounted, beautifully and easily creating visual and acoustic barriers. These can be moved from one bay to the next by hand to adapt with the daily use of each space. Acoustic panels are available in a range of colours.



- 01



- 02



- 03



# Planters

## Planters



-01

Transform your Link Display System in to a stunning biophilic design by swapping out shelf supports with planters. The planter supports have an opening compatible with the most common plant hire pot specifications. Pots can also be included in the system on request.

From complete plant walls to combinations of shelves and plants, the possibilities are endless.



- 01




- 03









#### Key Features

- 01  
NZ designed, NZ made
- 02  
Designed to adapt and reconfigure
- 03  
Planter insert option
- 04  
12 stain colour choices
- 05  
Acoustic and whiteboard panels available

# Link Display System



Link is created with sustainability and longevity at its core. The ability to adapt and reconfigure to changes in interior designs and layouts for years to come makes this a truly sustainable design. Options of shelves, cabinets, planters, acoustic panels, and whiteboards along with customised finishes it lets you create just how you want.


<u>Made from</u>	Solid and Veneer American Ash with steel struts and metal fittings.
<u>Finishes</u>	Timber stained in 12 standard colours Acoustic and whiteboard panels in choice of 10 colours Metal components in black
<u>Dimensions</u>	Standard Heights: 1505, 1900 or 2295 Standard Lengths: 1688, 2488, 3288 or 4088 Depth: 440
<u>Application</u>	Indoor use
<u>Warranty</u>	10 year commercial warranty
<u>Lead time</u>	Made to order - 4 to 6 weeks
<u>Origin</u>	New Zealand
<u>Designer</u>	Harrow's
<u>Certification</u>	Global GreenTagCert™ GreenRate Level C GreenTagPHD™ PlatinumHEALTH™ & HealthRATE™ Declaration™



#### Key Features

- 01  
NZ designed, NZ made
- 02  
12 stain colour choices
- 03  
Pair with the Link Display System

# Link Sideboard




Introducing the Link Sideboard: sleek, stylish, and versatile. Crafted with solid Ash posts and a suspended cabinet structure, it offers both form and function. Designed and manufactured in New Zealand by Harrows, it promises quality and customisable finishes. Add a touch of sophistication to any room with this elegant piece.

<u>Made from</u>	Solid and Veneer American Ash with steel struts and metal fittings.
<u>Finishes</u>	Timber stained in 12 standard colours Metal components in black
<u>Standard sizes</u>	1688 x 440 x 760h 2488 x 440 x 760h
<u>Application</u>	Indoor use
<u>Warranty</u>	10 year commercial warranty
<u>Lead time</u>	Made to order - 4 to 6 weeks
<u>Origin</u>	New Zealand
<u>Designer</u>	Harrows
<u>Certification</u>	Global GreenTagCert™ GreenRate Level C GreenTagPHD™ PlatinumHEALTH™ & HealthRATE™ Declaration™




# 5 Post Configurations


Select any combination of shelves, cabinets and planters within each size configuration. Enquire for specific requests.




**Link Sideboard**  
Link Sideboard – 760H x 1688W x 440D  
1 shelf layer




**LNK400-5x15-001**  
Link Display Unit – 1505H x 1688W x 440D  
3 shelf layers and top panel




**LNK400-5x15-002**  
Link Display Unit – 1505H x 1688W x 440D  
Base cabinets and 2 shelf layers




**LNK400-5x15-003**  
Link Display Unit – 1505H x 1688W x 440D  
Base cabinets and 8 planters




**LNK400-5x19-001**  
Link Display Unit – 1900H x 1688W x 440D  
4 shelf layers and top panel




**LNK400-5x19-002**  
Link Display Unit – 1900H x 1688W x 440D  
Base cabinets, 2 shelf layers and top panel




**LNK400-5x19-003**  
Link Display Unit – 1900H x 1688W x 440D  
Base cabinets, 1 shelf layer, top panel and 4 planters



**LNK400-5x23-001**  
Link Display Unit – 2295H x 1688W x 440D  
5 shelf layers and top panel




**LNK400-5x23-002**  
Link Display Unit – 2295H x 1688W x 440D  
Base cabinets, 3 shelf layers and top panel



**LNK400-5x23-003**  
Link Display Unit – 2295H x 1688W x 440D  
Base cabinets, 3 shelf layers, top panel and 5 planters


# 7 Post Configurations




**Link Sideboard**

Link Sideboard – 760H x 2488W x 440D  
1 shelf layer


# 9 Post Configurations




**LNK400-7x15-001**  
Link Display Unit – 1505H x 2488W x 440D  
3 shelf layers and top panel




**LNK400-7x15-002**  
Link Display Unit – 1505H x 2488W x 440D  
Base cabinets and 2 shelf layers




**LNK400-7x15-003**  
Link Display Unit – 1505H x 2488W x 440D  
Base cabinets and 12 planters




**LNK400-9x15-001**  
Link Display Unit – 1505H x 3288W x 440D  
3 shelf layers and top panel




**LNK400-9x15-002**  
Link Display Unit – 1505H x 3288W x 440D  
Base cabinets and 2 shelf layers




**LNK400-9x15-003**  
Link Display Unit – 1505H x 3288W x 440D  
Base cabinets, 2 shelf layers and 6 planters




**LNK400-7x19-001**  
Link Display Unit – 1900H x 2488W x 440D  
4 shelf layers and top panel




**LNK400-7x19-002**  
Link Display Unit – 1900H x 2488W x 440D  
Base cabinets, 2 shelf layers and top panel




**LNK400-7x19-003**  
Link Display Unit – 1900H x 2488W x 440D  
Base cabinets, 1 shelf layer, top panel and 6 planters




**LNK400-9x19-001**  
Link Display Unit – 1900H x 3288W x 440D  
4 shelf layers and top panel




**LNK400-9x19-002**  
Link Display Unit – 1900H x 3288W x 440D  
Base cabinets, 2 shelf layers and top panel




**LNK400-9x19-003**  
Link Display Unit – 1900H x 3288W x 440D  
Base cabinets, 1 shelf layer, top panel and 6 planters




**LNK400-7x23-001**  
Link Display Unit – 2295H x 2488W x 440D  
5 shelf layers and top panel




**LNK400-7x23-002**  
Link Display Unit – 2295H x 2488W x 440D  
Base cabinets, 3 shelf layers and top panel




**LNK400-7x23-003**  
Link Display Unit – 2295H x 2488W x 440D  
Base cabinets, 3 shelf layers, top panel and 7 planters



**LNK400-9x23-001**  
Link Display Unit – 2295H x 3288W x 440D  
5 shelf layers and top panel




**LNK400-9x23-002**  
Link Display Unit – 2295H x 3288W x 440D  
Base cabinets, 3 shelf layers and top panel




**LNK400-9x23-003**  
Link Display Unit – 2295H x 3288W x 440D  
Base cabinets, 3 shelf layers, top panel and 8 planters




# 11 Post Configurations




**LNK400-11×15-001**  
Link Display Unit – 1505H x 4088W x 440D  
3 shelf layers and top panel




**LNK400-11×15-002**  
Link Display Unit – 1505H x 4088W x 440D  
Base cabinets and 2 shelf layers




**LNK400-11×15-003**  
Link Display Unit – 1505H x 4088W x 440D  
Base cabinets, 2 shelf layers and 4 planters




**LNK400-11×19-001**  
Link Display Unit – 1900H x 4088W x 440D  
4 shelf layers and top panel




**LNK400-11×19-002**  
Link Display Unit – 1900H x 4088W x 440D  
Base cabinets, 2 shelf layers and top panel




**LNK400-11×19-003**  
Link Display Unit – 1900H x 4088W x 440D  
Base cabinets, 2 shelf layers, top panel and 8 planters



**LNK400-11×23-001**  
Link Display Unit – 2295H x 4088W x 440D  
5 shelf layers and top panel



**LNK400-11×23-002**  
Link Display Unit – 2295H x 4088W x 440D  
Base cabinets, 3 shelf layers and top panel



**LNK400-11×23-003**  
Link Display Unit – 2295H x 4088W x 440D  
Base cabinets, 3 shelf layers, top panel and 12 planters








# Designed for designers.

With so many configurations, we understand the importance of being able to visualise the finished product, and provide a full suite of 3D and BIM files for Revit, ArchiCAD and SketchUp.





# Considered for every connection.

## Collaborate

Spaces for collaboration to build community without hierarchy

## Meet

For more formal collaboration, projects and teamwork

## Relax

Welcome spaces for spontaneous connection and informal collaboration

## Social

Places to gather connect and build friendships

## Retreat

Made for more personal one to one connections and spaces to retreat to without being disconnected



# Customising

The Link Display System is highly customisable beyond the standard options in both layout and application. While retaining the standard post spacings most other details can be customised on request.

Designed on a 400mm grid format layouts including L sections, T sections, C sections and continuous lengths can be easily achieved.

## Customisable Elements on Request:

- 01 Post heights including floor to ceiling option.
- 02 Quantity and spacing of shelves.
- 03 Length of run (limited to 400mm multiples).
- 04 Cupboard heights
- 05 Layouts, including corner sections, Tee sections etc.
- 06 Panel screen materials



Talk with our sales team for inspiration on the endless possibilities of Link.



# Personalised for any space

Designed and manufactured in New Zealand by Harrows, the Link Display System allows for a high level of personalisation.

The endless options of layout and functional configuration can be finished in your colour of choice with 12 standard stain colours, and 10 acoustic panel and white-board colour options to suit the look and function of your space.


## Timber Stain Colour Options

Colours are indicative only.



## Acoustic Panel and Whiteboard Options

Colours are indicative only.





# Made for life.

At Harrows we believe in responsible manufacturing. Latest technology and time-honoured craft go hand in hand to create products that bring people together and are designed with longevity in mind, extending the useful life and in turn reducing waste.

Link is exemplary of this ethos. All components are manufactured or sourced in New Zealand, but bigger than this the principal of longevity at its core. The ability to adapt and reconfigure to changes in interior designs and layouts for years to come makes this a truly sustainable design.



## Global GreenTagCert™

A range of Harrows' own NZ made designs carry GreenRate™ Level C certification and PlatinumHEALTH™ HealthRATE™ certifications under the Global GreenTag International Product Health Declaration™ (GreenTag PHD™) program.



## Responsible Forestry - FSC®

Harrows obtained Forest Stewardship Council® (FSC®) certification in 2015. AHarrows is ensuring our timber products are sourced from responsibly managed forests.



## Ekos Carbon Conscious

Harrows are proud to have commenced certified carbon footprint measurement in 2021, and have recorded a gross reduction in emissions through conscious initiatives onsite. By understanding the emissions profile of our business operations, we can start to strategically reduce them.







Life is built on the interaction of people. We fill spaces with thoughtfully crafted furniture to facilitate these interactions.

Let's talk.

0800 142 233  
SALES@HARROWS.CO.NZ

AUCKLAND SHOWROOM  
ORANGE CORONATION HALL  
GROUND FLOOR 147 NEWTON ROAD  
EDEN TERRACE – AUCKLAND

HEAD OFFICE & MFG.  
31 - 33 REDRUTH STREET  
PO BOX 3023 – TIMARU

